Message

Due date is 1/27/22.

Cruz, Auria [Cruz. Auria@epa.gov] From: 1/24/2022 1:48:41 PM Sent: To: Boykin, Danla [Boykin.Danla@epa.gov] CC: Doctor, Katherine [Doctor.Katherine@epa.gov]; Chan, Suilin [Chan.Suilin@epa.gov] Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797 Hi Danla, 😊 Hope all is well. Katherine submitted a request for this cms for 2 weeks. However, as per Suilin message below, a 3 week extension will be needed. **Thanks** Auria From: Chan, Suilin < Chan. Suilin@epa.gov> Sent: Monday, January 24, 2022 8:33 AM To: Cruz, Auria < Cruz. Auria@epa.gov> Cc: Ruvo, Richard < Ruvo. Richard@epa.gov>; Doctor, Katherine < Doctor. Katherine@epa.gov> Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797 Auria, Ex. 5 Deliberative Process (DP) Is 1/27 the original due date? We need a 3-week extension Ex. 5 Deliberative Process (DP) WD needs until 2/4 to address the water issue. APB is drafting a response to one issue as well. Thanks, Suilin From: Cruz, Auria < Cruz. Auria@epa.gov> Sent: Monday, January 24, 2022 8:21 AM To: Chan, Suilin < Chan. Suilin@epa.gov> Cc: Ruvo, Richard < Ruvo. Richard@epa.gov>; Doctor, Katherine < Doctor. Katherine@epa.gov> Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797 Hi Suilin, 😊

Document List for AX-22-000-1797

Citizen: Edlich, Gauri Orekondy

Primary Subject: Reading File - Defect in South Fork Wind Revised Draft Air Perm Status: Pending

Due Date: 1/27/2022, 12 Received Date: 1/11/2022, 12

Checkout Add Component Import Component

Correspondence

<u>22-000-1797</u>

Creater: cmsdockt Size: 1597204

Format: pdf Modified: 1/12/2022, 1:47:25 PM

Check Out By:

From: Chan, Suilin < Chan. Suilin@epa.gov > Sent: Wednesday, January 19, 2022 7:53 PM To: Cruz, Auria < Cruz. Auria@epa.gov > Cc: Ruvo, Richard < Ruvo. Richard@epa.gov >

Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Hi Auria,

Have we been given a deadline for the response? This was addressed to the Administrator, is the response signed by the Administrator or Lisa or Rick?

Thanks, Suilin

From: Cruz, Auria < Cruz. Auria@epa.gov>
Sent: Wednesday, January 12, 2022 2:56 PM
To: Ruvo, Richard < Ruvo. Richard@epa.gov>
Cc: Chan, Suilin < Chan. Suilin@epa.gov>

Subject: RE: CMS New Assignment - Danla Boykin - AX-22-000-1797

Here you go! ☺

Who should respond to this CMS?

Gracias Auria

----Original Message----

From: Ruvo, Richard < Ruvo.Richard@epa.gov > Sent: Wednesday, January 12, 2022 2:34 PM To: Cruz, Auria < Cruz.Auria@epa.gov >

Subject: FW: CMS New Assignment - Danla Boykin - AX-22-000-1797

Auria-

Please download a copy of the letter for me and Suilin. I'd like to review for my personal knowledge.

Thanks, Rick

----Original Message-----

From: cmsadmin@epa.gov <cmsadmin@epa.gov> Sent: Wednesday, January 12, 2022 2:08 PM

To: Cruz, Auria <Cruz.Auria@epa.gov>; Ruvo, Richard <Ruvo.Richard@epa.gov>

Subject: CMS New Assignment - Danla Boykin - AX-22-000-1797

Control AX-22-000-1797 has been assigned to your office on 1/12/2022 2:08:25 PM by Danla Boykin. Please go to the CMS webpage to view the details of the control.

Summary Information -

Control Number: AX-22-000-1797

Control Subject: Reading File - Defect in South Fork Wind Revised Draft Air Permit: Failure to Require Offsets for

Construction-Related Air Emissions From: Edlich, Gouri Orekondy

Note: This Email was automatically generated. Please do not attempt to respond to it. You can access this control at https://cms.epa.gov/cms. Questions or comments concerning CMS should be directed to CMS Support at 202-564-4985 or CMS Information@epa.gov.